



# 6690 Series Pipeline Regulator

Medium-Heavy Duty Rugged Welding, Heating and Cutting

## Features


- Heavy Forged Brass Bonnet
  - *High Durability*
- Medium-Large Seat Displacement
  - *Good flow capacity*
- Capsule® Seat Assembly
  - *High cycle life*

## Material

- Heavy Forged Brass Body
- PTFE Seat
- 25 Micron Bronze Capsule® Filter

## Specification

- 3000 psi Max Inlet
- Temperature Range -40° to 140°F (-40° to 60°C)



806-6691 Shown



Gas Service	Stock Number	Inlet Connection	Delivery Range	Outlet Connection	Pressure Gauges
Non-corrosive	806-6691	¼" NPT (F)	0-15 PSIG	¼" NPT (F)	30 PSIG
Non-corrosive	806-6692	¼" NPT (F)	0-40 PSIG	¼" NPT (F)	60 PSIG
Non-corrosive	806-6693	¼" NPT (F)	0-120 PSIG	¼" NPT (F)	200 PSIG
Non-corrosive	806-6694	¼" NPT (F)	0-250 PSIG	¼" NPT (F)	400 PSIG
Acetylene	806-6690	¼" NPT (F)	0-15 PSIG	¼" NPT (F)	30 PSIG* (15 PSIG Redline)

\* Acetylene should not be used over 15 PSIG